

MaterialSafetyDataSheetaccordingto91/155/EEC,thestandardsandregulatoryrequirements of United States. Date of issue: 01/09/2005

1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

Product Name: NBR ERIKS compound NK701

MSDS N°: N000

Chemical Name: Acrylonitrile-butadiene copolymer

Company:

ERIKS by Toermalijnstraat 5

1812 RL Alkmaar

Postbus 280, 1800 BK Alkmaar Tel. +31 72 / 514 15 14

Fax +31 72 / 515 56 45

info@eriks.nl www.eriks.nl www.oil-seals.info



LIRIKS

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Nature (preparation)

Description: Acrylonitrile-butadiene copolymer (CAS number: 9003-18-3)

Hazardous Ingredient				
Hazardous	CAS#	Amount	Exposure Limits	
Ingredients			OSHA PEL	ACGIH TVL
Acrylonitrile	107-13-1	<10 ppm	2 ppm TWA	2 ppm TWA
	TT		1 ppm AL	A2, Skin
			10 ppm Ceiling	
Butadiene	106-99-0	<0.2 ppm	1 ppm TWA	2 ppm TWA
			5 ppm STEL	A2
			0.5 ppm AL	
4-vinyl	100-40-3	<0.1 % est	No Established	0.1 ppm TWA,
Cyclohexene				A3



ERIKS

3. HAZARDS IDENTIFICATION

Potential Health Effects

Possible routes of entry include skin & eye contact and process vapor or dust inhalation. Smokers should avoid contamination of tobacco products with polymer and should wash their hands before smoking.

ERI

This information is, to the best of our knowledge, accurate and reliable to the date indicated. The above mentioned data have been obtained by tests we consider as reliable. We don't assure that the same results can be obtained in other laboratories, using different conditions by the preparation and evaluation of the samples.



4. FIRST AID MEASURES

Inhalation

Remove the affected individual to fresh air. Consult a physician if symptoms persist.

Skin contact:

Wash with soap and water.

Eye contact:

Flush eyes with plenty of water. Consult a physician if symptoms persist.

Ingestion:

Not expected to occur during normal use of product.

5. FIRE FIGHTING MEASURES

Extinguishing Media

Water, Foam, Dry Chemical, CO2

Fire Fighting Instructions

Wear self-contained breathing apparatus. Wear full protective equipment.

Exposure Hazards

Decomposition products see section 10.

6. ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Clean up

Sweep up to avoid slipping hazard.

7. HANDLING AND STORAGE

Handling

Protect against fire.

Storage

Store in cool, dry place away from direct light to maintain quality.

ERIKS

FRIKS

ERI



ERIKS

ERI



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Ventilation:

Vapors and fumes liberated from compounds during hot cured processing should be exhausted from work areas to maintain the ambient workplace atmosphere below the limits listed in section 2.

Personal Protective Equipment

Respirators:

when temperature exceeds 200° Candventilation is in a dequate to maintain concentration below exposure limits, use a positive pressure air supplied respirator. Air purifying respirators may not provide adequate protection.

Protective Clothing:

If there is potential contact with hot/molten material, wear heat resistant clothing and footwear. Do not touch decomposed parts even when cool. Neoprene gloves recommended.

ERIKS

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Data:

Melting Point: NA % Volatiles: NA

Solubility in Water: insoluble

Odor: With a mild characteristic odor

Color: Black
Appearance: Solid
Specific Gravity: 1.25





10. STABILITY AND REACTIVITY

Chemical Stability

Stable at normal temperature and storage condition.

Conditions to avoid

Overheating

Incompaibility with other materials

No specific information is available, however strong oxidizers or reducing agents which generally not compatible with compounds.

Hazardous Decomposition Products

Fumesproduced when heated to decomposition temperatures may contain carbon monoxide, carbon dioxide, hydrogen cyanide, oxides of nitrogen, and small amounts of aromatic and aliphatic hydrocarbons. Combustion products from rubber, like those of other natural and synthetic materials, must be considered toxic.



This information is, to the best of our knowledge, accurate and reliable to the date indicated. The above mentioned data have been obtained by tests we consider as reliable. We don't assure that the same results can be obtained in other laboratories, using different conditions by the preparation and evaluation of the samples.



11. TOXICOLOGICAL INFORMATION

No information is available.

12. ECOLOGICAL INFORMATION

Aquatic toxicity: No information is available.

13. DISPOSAL CONSIDERATIONS

Waste disposal

Preferred options for disposal are (1) recycling, (2) incineration with energy recovery, and (3) landfill. The high fuel value of this product makes option 2 very desirable for material that cannot be recycled, but incinerator must be cabaple of scrubbing out acidic combustion products. Treatment, storage, transportation, and disposal must be inaccordance with applicable federal, state/provicial, and local regulations.



Shipping information

DOT

Proper shipping name: not regulated Hazard class: not regulated

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA Inventory Status: This product and all components are listed on U.S. EPA Toxic Substances Control Act Inventory and in accordance with EC directives/GefStoffV.

16. OTHER INFORMATION

	NFPA	HMIS		
Health:	2	0	National Fire Protection Association rating	
			identifies hazards a fire emergency	
Flammability:	1	1	Hazardous Materials Identification system	
			rating applies to products as packaged	
Reactivity:	0	0		

Key: 0=least; 1=slight; 2=moderate; 3=high; 4=extreme

Important Note:

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. This information is obtained from various sources including the manufacturer and other third party sources. The safety data sheet only describes the products in aspect to their safety requirements.

ERI



ERIKS

MATERIAL SAFETY DATA SHEET

THE NETHERLANDS

ERIKS by

Toermalijnstraat 5 1812 RL Alkmaar

Postbus 280, 1800 BK Alkmaar

Tel. +31 72 / 514 15 14 Fax +31 72 / 515 56 45

info@eriks.nl www.eriks.nl



BELGIUM

ERIKS nv

Boombekelaan 3 B-2660 Hoboken

Tel. +32 3 / 829 26 11 Fax +32 3 / 828 39 59

info@eriks.be www.eriks.be

FRANCE

ERIKS sarl

52, avenue des Frères-Lumière BP 151

F-78196 Trappes cedex Tel. +33 1 / 34 82 10 00

Fax +33 1 / 34 82 10 32 sce.clientele@eriks.fr

GERMANY

ERIKS Gruppe Deutschland Brönninghauser Str. 38 33729 Bielefeld

Tel. +49 521/9399-0

Fax +49 521/9399-49 www.eriks.de

For more technical compound info, consult: www.O-ring.info

This information is, to the best of our knowledge, accurate and reliable to the date indicated. The above mentioned data have been obtained by tests we consider as reliable. We don't assure that the same results can be obtained in other laboratories, using different conditions by the preparation and evaluation of the samples.

01.06.2007